

Recombinant Human PI4KA 293 Cell Lysate

Cat. No. PI4KA-3207HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for phosphatidylinositol 4-kinase, catalytic, alpha (PI4KA), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

PI4KA phosphatidylinositol 4-kinase, catalytic, alpha [Homo sapiens]

Official Symbol

PI4KA

Synonyms

PI4KA; phosphatidylinositol 4-kinase, catalytic, alpha; PIK4CA; phosphatidylinositol 4-kinase alpha; PI4K ALPHA; pi4K230; PI4-kinase alpha; ptdIns-4-kinase alpha; phosphatidylinositol 4-kinase 230; phosphatidylinositol 4-kinase, type III, alpha; PI4K-ALPHA; FLJ16556;

Gene ID

5297

mRNA Refseq

NM_002650

Protein Refseq

NP_002641

MIM

600286

UniProt ID

P42356

Chromosome Location

22q11.21

Pathway

3-phosphoinositide biosynthesis, organism-specific biosystem; 3-phosphoinositide biosynthesis, conserved biosystem; D-myo-inositol (1,4,5)-trisphosphate biosynthesis, organism-specific biosystem; D-myo-inositol (1,4,5)-trisphosphate biosynthesis,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

conserved biosystem; Inositol phosphate metabolism, organism-specific biosystem;
Inositol phosphate metabolism, conserved biosystem; Inositol phosphate metabolism,
PI=>

Function

1-phosphatidylinositol 4-kinase activity; ATP binding; nucleotide binding;
phosphatidylinositol 3-kinase activity; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA