

Recombinant Human PHOX2B 293 Cell Lysate

Cat. No. PHOX2B-3216HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for paired-like homeobox 2b (PHOX2B) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

PHOX2B paired-like homeobox 2b [Homo sapiens]

Official Symbol

PHOX2B

Synonyms

PMX2B; NBLST2; NBPhox; paired mesoderm homeobox protein 2B; neuroblastoma Phox; PHOX2B homeodomain protein; paired mesoderm homeobox 2b; neuroblastoma paired-type homeobox protein

Gene ID

8929

mRNA Refseq

NM_003924

Protein Refseq

NP_003915

MIM

603851

UniProt ID

Q99453

Chromosome Location

4p12

Pathway

Neural Crest Differentiation, organism-specific biosystem; SIDS Susceptibility Pathways, organism-specific biosystem

Function

RNA polymerase II core promoter proximal region sequence-specific DNA binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

RNA polymerase II regulatory region sequence-specific DNA binding; sequence-specific DNA binding transcription factor activity