

Recombinant Human PGAP3 293 Cell Lysate

Cat. No. PGAP3-3261HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for post-GPI attachment to proteins 3 (PGAP3) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	PGAP3 post-GPI attachment to proteins 3 [Homo sapiens]
Official Symbol	PGAP3
Synonyms	PGAP3; post-GPI attachment to proteins 3; per1 like domain containing 1 , PERLD1; post-GPI attachment to proteins factor 3; CAB2; MGC9753; PER1; post GPI attachment to proteins 3; PP1498; hCOS16; COS16 homolog; per1-like domain containing 1; gene coamplified with ERBB2 protein; PER1-like domain-containing protein 1; PERLD1; AGLA546;
Gene ID	93210
mRNA Refseq	NM_033419
Protein Refseq	NP_219487
MIM	611801
UniProt ID	Q96FM1
Chromosome Location	17q21.2
Function	hydrolase activity, acting on ester bonds;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA