

Recombinant Human PDIA6 293 Cell Lysate

Cat. No. PDIA6-3330HCL Lot. No. (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for protein disulfide isomerase family A, member 6 (PDIA6) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

PDIA6 protein disulfide isomerase family A, member 6 [Homo sapiens]

Official Symbol

PDIA6

Synonyms

PDIA6; protein disulfide isomerase family A, member 6; protein disulfide isomerase associated 6 , thioredoxin domain containing 7 (protein disulfide isomerase) , TXNDC7; protein disulfide-isomerase A6; ERp5; P5; protein disulfide isomerase related protein; ER protein 5; protein disulfide isomerase P5; endoplasmic reticulum protein 5; thioredoxin domain-containing protein 7; protein disulfide isomerase-associated 6; protein disulfide isomerase-related protein; thioredoxin domain containing 7 (protein disulfide isomerase); ERP5; TXNDC7;

Gene ID

10130

mRNA Refseq

NM_005742

Protein Refseq

NP_005733

MIM

611099

UniProt ID

Q15084

**Chromosome
Location**

2p25.1

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway

Activation of Chaperone Genes by XBP1(S), organism-specific biosystem; Activation of Chaperones by IRE1alpha, organism-specific biosystem; Diabetes pathways, organism-specific biosystem; Disease, organism-specific biosystem; Protein processing in endoplasmic reticulum, organism-specific biosystem; Protein processing in endoplasmic reticulum, conserved biosystem; Unfolded Protein Response, organism-specific biosystem;

Function

electron carrier activity; isomerase activity; protein disulfide isomerase activity; protein disulfide oxidoreductase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA