

Recombinant Human PAFAH1B2 293 Cell Lysate

Cat. No. PAFAH1B2-3468HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for platelet-activating factor acetylhydrolase 1b, catalytic subunit 2 (30kDa) (PAFAH1B2) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

PAFAH1B2 platelet-activating factor acetylhydrolase 1b, catalytic subunit 2 (30kDa) [Homo sapiens]

Official Symbol

PAFAH1B2

Synonyms

PAFAH1B2; platelet-activating factor acetylhydrolase 1b, catalytic subunit 2 (30kDa); platelet activating factor acetylhydrolase, isoform 1b, beta subunit 30kDa , platelet activating factor acetylhydrolase, isoform 1b, subunit 2 (30kDa); platelet-activating factor acetylhydrolase 1B subunit beta; PAF AH1b alpha 2 subunit; PAFAH subunit beta; PAF-AH subunit beta; PAF-AH 30 kDa subunit; PAF-AH1b alpha 2 subunit; PAF acetylhydrolase 30 kDa subunit; intracellular platelet-activating factor acetylhydrolase alpha 2 subunit; platelet-activating factor acetylhydrolase, isoform 1b, subunit 2 (30kDa);

Gene ID

5049

mRNA Refseq

NM_001184746

Protein Refseq

NP_001171675

MIM

602508

UniProt ID

P68402

Chromosome

11q23

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Location	
Pathway	Ether lipid metabolism, organism-specific biosystem; Ether lipid metabolism, conserved biosystem; Lissencephaly gene (LIS1) in neuronal migration and development, organism-specific biosystem; Metabolic pathways, organism-specific biosystem;
Function	1-alkyl-2-acetylglycerophosphocholine esterase activity; hydrolase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA