

Recombinant Human OCRL 293 Cell Lysate

Cat. No. OCRL-3601HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for oculocerebrorenal syndrome of Lowe (OCRL), transcript variant a is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

OCRL oculocerebrorenal syndrome of Lowe [Homo sapiens]

Official Symbol

OCRL

Synonyms

OCRL; oculocerebrorenal syndrome of Lowe; inositol polyphosphate 5-phosphatase OCRL-1; OCRL1; Lowe oculocerebrorenal syndrome protein; phosphatidylinositol polyphosphate 5-phosphatase; LOCR; NPHL2; INPP5F; OCRL-1;

Gene ID

4952

mRNA Refseq

NM_000276

Protein Refseq

NP_000267

MIM

300535

UniProt ID

Q01968

**Chromosome
Location**

Xq25

Pathway

1D-myo-inositol hexakisphosphate biosynthesis II (mammalian), organism-specific biosystem; 1D-myo-inositol hexakisphosphate biosynthesis II (mammalian), conserved biosystem; 3-phosphoinositide degradation, organism-specific biosystem; 3-phosphoinositide degradation, conserved biosystem; Clathrin derived vesicle

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

budding, organism-specific biosystem; D-myo-inositol (1,3,4)-trisphosphate biosynthesis, organism-specific biosystem; D-myo-inositol (1,3,4)-trisphosphate biosynthesis, conserved biosystem;

Function

hydrolase activity; phosphatidylinositol-4,5-bisphosphate 5-phosphatase activity; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA