

Recombinant Human NT5C3 293 Cell Lysate

Cat. No. NT5C3-3676HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for 5-nucleotidase, cytosolic III (NT5C3), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [NT5C3 5-nucleotidase, cytosolic III \[Homo sapiens \]](#)

Official Symbol NT5C3

Synonyms NT5C3; 5-nucleotidase, cytosolic III; cytosolic 5-nucleotidase 3; cN III; P5N 1; PN I; PSN1; UMPH; UMPH1; pyrimidine 5-nucleotidase 1; uridine 5-monophosphate hydrolase 1; p36; PN-I; P5N-1; cN-III; MGC27337; MGC87109; MGC87828;

Gene ID [51251](#)

mRNA Refseq [NM_001002009](#)

Protein Refseq [NP_001002009](#)

MIM [606224](#)

UniProt ID [Q9H0P0](#)

Chromosome Location 7p14.3

Pathway

Metabolic pathways, organism-specific biosystem; Metabolism, organism-specific biosystem; Metabolism of nucleotides, organism-specific biosystem; Nicotinate and nicotinamide metabolism, organism-specific biosystem; Nicotinate and nicotinamide metabolism, conserved biosystem; Purine metabolism, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purine metabolism, conserved biosystem;

Function

2-phosphotransferase activity; 2-phosphotransferase activity; 5-nucleotidase activity; 5-nucleotidase activity; 5-nucleotidase activity; hydrolase activity; magnesium ion binding; nucleotide binding;

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA