

Recombinant Human NSF 293 Cell Lysate

Cat. No. NSF-3688HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for N-ethylmaleimide-sensitive factor (NSF) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

NSF N-ethylmaleimide-sensitive factor [Homo sapiens]

Official Symbol

NSF

Synonyms

NSF; N-ethylmaleimide-sensitive factor; vesicle-fusing ATPase; N ethylmaleimide sensitive factor like protein; SKD2; NEM-sensitive fusion protein; vesicular-fusion protein NSF; N-ethylmaleimide-sensitive fusion protein; N-ethylmaleimide-sensitive factor-like protein;

Gene ID

4905

mRNA Refseq

NM_006178

Protein Refseq

NP_006169

MIM

601633

UniProt ID

P46459

Chromosome Location

17q21

Pathway

GABAergic synapse, organism-specific biosystem; GABAergic synapse, conserved biosystem; Glutamate Binding, Activation of AMPA Receptors and Synaptic Plasticity, organism-specific biosystem; Neuronal System, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Neurotransmitter Receptor Binding And Downstream Transmission In
The Postsynaptic Cell, organism-specific biosystem; Synaptic vesicle cycle, organism-
specific biosystem; Synaptic vesicle cycle, conserved biosystem;

Function

ATP binding; ATPase activity, coupled; PDZ domain binding; Rab GTPase binding;
hydrolase activity; metal ion binding; nucleotide binding; protein C-terminus binding;
protein binding; protein complex binding; syntaxin binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA