

Recombinant Human NR0B2 293 Cell Lysate

Cat. No. NR0B2-3722HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for nuclear receptor subfamily 0, group B, member 2 (NR0B2) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

NR0B2 nuclear receptor subfamily 0, group B, member 2 [Homo sapiens]

Official Symbol

NR0B2

Synonyms

NR0B2; nuclear receptor subfamily 0, group B, member 2; nuclear receptor subfamily 0 group B member 2; SHP; nuclear receptor SHP; small heterodimer partner; orphan nuclear receptor SHP; SHP1; FLJ17090;

Gene ID

8431

mRNA Refseq

NM_021969

Protein Refseq

NP_068804

MIM

604630

UniProt ID

Q15466

**Chromosome
Location**

1p36.1

Pathway

Androgen Receptor Signaling Pathway, organism-specific biosystem; Bile secretion, organism-specific biosystem; Bile secretion, conserved biosystem; Gene Expression, organism-specific biosystem; Generic Transcription Pathway, organism-specific biosystem; Nuclear Receptor transcription pathway, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

DNA binding; peroxisome proliferator activated receptor binding; protein binding; protein complex binding; protein domain specific binding; protein homodimerization activity; receptor activity; retinoid X receptor binding; steroid hormone receptor activity; thyroid hormone receptor binding; transcription corepressor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA