

Recombinant Human NPM1 293 Cell Lysate

Cat. No. NPM1-3738HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for nucleophosmin (nucleolar phosphoprotein B23, numatrin) (NPM1), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

NPM1 nucleophosmin (nucleolar phosphoprotein B23, numatrin) [Homo sapiens]

Official Symbol

NPM1

Synonyms

NPM1; nucleophosmin (nucleolar phosphoprotein B23, numatrin); nucleophosmin; B23; NPM; nucleolar phosphoprotein B23; nucleophosmin/nucleoplasmin family; member 1; numatrin; nucleolar protein NO38; nucleophosmin/nucleoplasmin family, member 1; MGC104254;

Gene ID

4869

mRNA Refseq

NM_199185

Protein Refseq

NP_954654

MIM

164040

UniProt ID

P06748

Chromosome Location

5q35.1

Pathway

Aurora B signaling, organism-specific biosystem; BARD1 signaling events, organism-specific biosystem; Cell Cycle, organism-specific biosystem; Chromosome Maintenance, organism-specific biosystem; Deposition of New CENPA-containing

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Nucleosomes at the Centromere, organism-specific biosystem; Disease, organism-specific biosystem; HIF-1-alpha transcription factor network, organism-specific biosystem;

Function

NF-kappaB binding; NF-kappaB binding; RNA binding; Tat protein binding; histone binding; nucleic acid binding; protein binding; protein heterodimerization activity; protein homodimerization activity; protein kinase binding; ribosomal large subunit binding; ribosomal small subunit binding; transcription coactivator activity; unfolded protein binding; unfolded protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA