

Recombinant Human NPL 293 Cell Lysate

Cat. No. NPL-3741HCL Lot. No. (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for N-acetylneuraminate pyruvate lyase (dihydrodipicolinate synthase) (NPL) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	NPL N-acetylneuraminate pyruvate lyase (dihydrodipicolinate synthase) [Homo sapiens]
Official Symbol	NPL
Synonyms	NPL; N-acetylneuraminate pyruvate lyase (dihydrodipicolinate synthase); C1orf13, chromosome 1 open reading frame 13; N-acetylneuraminate lyase; DHDPS1; dihydrodipicolinate synthetase homolog 1 (E. coli); NPL1; NALase; sialic acid aldolase; sialate-pyruvate lyase; N-acetylneuraminic acid aldolase; dihydrodipicolinate synthetase homolog 1; NAL; C112; C1orf13; MGC61869; MGC149582;
Gene ID	80896
mRNA Refseq	NM_001200050
Protein Refseq	NP_001186979
MIM	611412
UniProt ID	Q9BXD5
Chromosome Location	1q25
Pathway	Amino sugar and nucleotide sugar metabolism, organism-specific biosystem; Amino

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

sugar and nucleotide sugar metabolism, conserved biosystem;

Function

N-acetylneuraminate lyase activity; lyase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA