

Recombinant Human NLRP3 293 Cell Lysate

Cat. No. NLRP3-3799HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for NLR family, pyrin domain containing 3 (NLRP3), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

NLRP3 NLR family, pyrin domain containing 3 [Homo sapiens]

Official Symbol

NLRP3

Synonyms

NLRP3; NLR family, pyrin domain containing 3; C1orf7, CIAS1, cold autoinflammatory syndrome 1; NACHT, LRR and PYD domains-containing protein 3; AGTAVPRL; All; AVP; CLR1.1; Cryopyrin; FCAS; FCU; MWS; NALP3; nucleotide binding oligomerization domain; leucine rich repeat and pyrin domain containing 3; PYPAF1; cryopyrin; caterpillar protein 1.1; PYRIN-containing APAF1-like protein 1; NACHT, LRR and PYD containing protein 3; cold autoinflammatory syndrome 1 protein; NACHT domain-, leucine-rich repeat-, and PYD-containing protein 3; nucleotide-binding oligomerization domain, leucine rich repeat and pyrin domain containing 3; CIAS1; C1orf7; FLJ95925;

Gene ID

114548

mRNA Refseq

NM_001079821

Protein Refseq

NP_001073289

MIM

606416

UniProt ID

Q96P20

Chromosome

1q44

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Location	
Pathway	Immune System, organism-specific biosystem; Inflammasomes, organism-specific biosystem; Influenza A, organism-specific biosystem; Influenza A, conserved biosystem; Innate Immune System, organism-specific biosystem; NOD-like receptor signaling pathway, organism-specific biosystem; NOD-like receptor signaling pathway, conserved biosystem;
Function	ATP binding; nucleotide binding; peptidoglycan binding; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA