

Recombinant Human NLRP2 293 Cell Lysate

Cat. No. NLRP2-3800HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for NLR family, pyrin domain containing 2 (NLRP2) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name NLRP2 NLR family, pyrin domain containing 2 [Homo sapiens]

Official Symbol NLRP2

Synonyms

NLRP2; NLR family, pyrin domain containing 2; NACHT, leucine rich repeat and PYD containing 2 , NALP2; NACHT, LRR and PYD domains-containing protein 2; CLR19.9; FLJ20510; NBS1; nucleotide binding oligomerization domain; leucine rich repeat and pyrin domain containing 2; PAN1; PYPAF2; nucleotide-binding site protein 1; PYRIN-containing APAF1-like protein 2; NACHT, LRR and PYD containing protein 2; NACHT, leucine rich repeat and PYD containing 2; PYRIN domain and NACHT domain-containing protein 1; nucleotide-binding oligomerization domain, leucine rich repeat and pyrin domain containing 2; NALP2;

Gene ID 55655

mRNA Refseq NM_001174081

Protein Refseq NP_001167552

MIM 609364

UniProt ID Q9NX02

Chromosome Location 19q13.42

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

ATP binding; Pyrin domain binding; nucleotide binding; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA