

Recombinant Human NFAM1 293 Cell Lysate

Cat. No. NFAM1-3860HCL Lot. No. (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for NFAT activating protein with ITAM motif 1 (NFAM1) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

NFAM1 NFAT activating protein with ITAM motif 1 [Homo sapiens]

Official Symbol

NFAM1

Synonyms

NFAM1; NFAT activating protein with ITAM motif 1; NFAT activation molecule 1; CNAIP; NFAT-activating protein with ITAM motif 1; calcinerin/NFAT-activating ITAM-containing protein; calcineurin/NFAT-activating ITAM-containing protein; bK126B4.4; FLJ40652;

Gene ID

150372

mRNA Refseq

NM_145912

Protein Refseq

NP_666017

MIM

608740

UniProt ID

Q8NET5

Chromosome Location

22q13.2

Pathway

T Cell Receptor Signaling Pathway, organism-specific biosystem;

Function

transmembrane signaling receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA