Recombinant Human NEDD4 293 Cell Lysate

Cat. No. NEDD4-3886HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	
Species	Human
Source	HEK293
Description	Antigen standard for neural precursor cell expressed, developmentally down-regulated 4 (NEDD4), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	NEDD4 neural precursor cell expressed, developmentally down-regulated 4, E3 ubiquitin protein ligase [Homo sapiens]
Official Symbol	NEDD4
Synonyms	NEDD4; neural precursor cell expressed, developmentally down-regulated 4, E3 ubiquitin protein ligase; neural precursor cell expressed, developmentally down regulated 4; E3 ubiquitin-protein ligase NEDD4; KIAA0093; MGC176705; NEDD4 1; receptor potentiating factor 1; RPF1; NEDD-4; receptor-potentiating factor 1; cell proliferation-inducing gene 53 protein; neural precursor cell expressed developmentally down-regulated protein 4; NEDD4-1;
Gene ID	4734
mRNA Refseq	NM_006154
Protein Refseq	NP_006145
MIM	602278
UniProt ID	P46934
Chromosome Location	15q

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway	Adaptive Immune System, organism-specific biosystem; Antigen processing: Ubiquitination and Proteasome degradation, organism-specific biosystem; Antiviral mechanism by IFN-stimulated genes, organism-specific biosystem; Class I MHC mediated antigen processing & presentation, organism-specific biosystem; Cytokine Signaling in Immune system, organism-specific biosystem;
Function	RNA polymerase binding; acid-amino acid ligase activity; beta-2 adrenergic receptor binding; ligase activity; phosphoserine binding; phosphothreonine binding; proline-rich region binding; proline-rich region binding; protein binding; protein domain specific binding; sodium channel inhibitor activity; ubiquitin binding; ubiquitin-protein ligase activity;

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA