

Recombinant Human NCBP2 293 Cell Lysate

Cat. No. NCBP2-3952HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for nuclear cap binding protein subunit 2, 20kDa (NCBP2), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

NCBP2 nuclear cap binding protein subunit 2, 20kDa [Homo sapiens]

Official Symbol

NCBP2

Synonyms

NCBP2; nuclear cap binding protein subunit 2, 20kDa; nuclear cap binding protein subunit 2, 20kD; nuclear cap-binding protein subunit 2; Cbc2; CBP20; NIP1; NCBP 20 kDa subunit; NCBP interacting protein 1; NCBP-interacting protein 1; 20 kDa nuclear cap-binding protein; cell proliferation-inducing gene 55 protein; CBC2; PIG55;

Gene ID

22916

mRNA Refseq

NM_001042540

Protein Refseq

NP_001036005

MIM

605133

UniProt ID

P52298

Chromosome Location

3q29

Pathway

Abortive elongation of HIV-1 transcript in the absence of Tat, organism-specific biosystem; Cap binding complex, organism-specific biosystem; Cleavage of Growing Transcript in the Termination Region, organism-specific biosystem; Disease,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



organism-specific biosystem; Formation of HIV-1 elongation complex containing HIV-1 Tat, organism-specific biosystem; Formation of HIV-1 elongation complex in the absence of HIV-1 Tat, organism-specific biosystem; Formation of RNA Pol II elongation complex, organism-specific biosystem;

Function

RNA 7-methylguanosine cap binding; NOT RNA binding; RNA cap binding; nucleotide binding; protein binding;

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA