

Recombinant Human NAE1 293 Cell Lysate

Cat. No. NAE1-3984HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for NEDD8 activating enzyme E1 subunit 1 (NAE1), transcript variant 3 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

NAE1 NEDD8 activating enzyme E1 subunit 1 [Homo sapiens]

Official Symbol

NAE1

Synonyms

NAE1; NEDD8 activating enzyme E1 subunit 1; amyloid beta precursor protein binding protein 1 , amyloid beta precursor protein binding protein 1, 59kDa , amyloid beta precursor protein binding protein 1, 59kD , APPBP1; NEDD8-activating enzyme E1 regulatory subunit; NEDD8 activating enzyme E1 subunit; ula 1; APP-BP1; protooncogene protein 1; proto-oncogene protein 1; amyloid protein-binding protein 1; NEDD8-activating enzyme E1 subunit; amyloid beta precursor protein-binding protein 1, 59kD; amyloid beta precursor protein binding protein 1, 59kDa; amyloid beta precursor protein-binding protein 1, 59 kDa; HPP1; ula-1; APPBP1; A-116A10.1;

Gene ID

8883

mRNA Refseq

NM_001018159

Protein Refseq

NP_001018169

MIM

603385

UniProt ID

Q13564

**Chromosome
Location**

16q22

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway	Alzheimers disease, organism-specific biosystem; Alzheimers disease, conserved biosystem;
Function	contributes_to NEDD8 activating enzyme activity; catalytic activity; nucleotide binding; protein binding; protein heterodimerization activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA