

Recombinant Human NAA40 293 Cell Lysate

Cat. No. NAA40-3992HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for N(alpha)-acetyltransferase 40, NatD catalytic subunit, homolog (<i>S. cerevisiae</i>) (NAA40) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name NAA40 N(alpha)-acetyltransferase 40, NatD catalytic subunit, homolog (*S. cerevisiae*)
[*Homo sapiens*]

Official Symbol NAA40

Synonyms NAA40; N(alpha)-acetyltransferase 40, NatD catalytic subunit, homolog (*S. cerevisiae*); N acetyltransferase 11 , N acetyltransferase 11 (GCN5 related, putative) , NAT11; N-alpha-acetyltransferase 40; FLJ13848; natD catalytic subunit; N-alpha acetyl transferase 40; N-acetyltransferase 11 (GCN5-related, putative); N-alpha-acetyltransferase 40, NatD catalytic subunit; NAT11; PATT1;

Gene ID 79829

mRNA Refseq NM_024771

Protein Refseq NP_079047

UniProt ID Q86UY6

Chromosome Location 11q13.1

Function N-acetyltransferase activity; transferase activity, transferring acyl groups;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA