

Recombinant Human MYCN 293 Cell Lysate

Cat. No. MYCN-4036HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for v-myc myelocytomatosis viral related oncogene, neuroblastoma derived (avian) (MYCN) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

MYCN v-myc myelocytomatosis viral related oncogene, neuroblastoma derived (avian) [Homo sapiens]

Official Symbol

MYCN

Synonyms

MYCN; v-myc myelocytomatosis viral related oncogene, neuroblastoma derived (avian); NMYC, v myc avian myelocytomatosis viral related oncogene, neuroblastoma derived; N-myc proto-oncogene protein; bHLHe37; N myc; pp65/67; oncogene NMYC; neuroblastoma MYC oncogene; class E basic helix-loop-helix protein 37; neuroblastoma-derived v-myc avian myelocytomatosis viral related oncogene; v-myc avian myelocytomatosis viral related oncogene, neuroblastoma derived; NMYC; ODED; MODED; N-myc;

Gene ID

4613

mRNA Refseq

NM_005378

Protein Refseq

NP_005369

MIM

164840

UniProt ID

P04198

Chromosome Location

2p24.3

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway	Transcriptional misregulation in cancer, organism-specific biosystem; Transcriptional misregulation in cancer, conserved biosystem;
Function	DNA binding; protein binding; sequence-specific DNA binding transcription factor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA