

Recombinant Human MRPL40 293 Cell Lysate

Cat. No. MRPL40-4169HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for mitochondrial ribosomal protein L40 (MRPL40), nuclear gene encoding mitochondrial protein is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

MRPL40 mitochondrial ribosomal protein L40 [Homo sapiens]

Official Symbol

MRPL40

Synonyms

MRPL40; mitochondrial ribosomal protein L40; NLVCF, nuclear localization signal deleted in velocardiocardiac syndrome; 39S ribosomal protein L40, mitochondrial; MRP L22; L40mt; MRP-L40; up-regulated in metastasis; nuclear localization signal deleted in velocardiocardiac syndrome; nuclear localization signal containing protein deleted in velocardiocardiac syndrome; nuclear localization signal-containing protein deleted in velocardiocardiac syndrome; URIM; NLVCF; MRP-L22; MGC9400; FLJ41774;

Gene ID

64976

mRNA Refseq

NM_003776

Protein Refseq

NP_003767

MIM

605089

UniProt ID

Q9NQ50

**Chromosome
Location**

22q11.2

Function

molecular_function;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA