

Recombinant Human MOBKL1A 293 Cell Lysate

Cat. No. MOBKL1A-4266HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for MOB1, Mps One Binder kinase activator-like 1A (yeast) (MOBKL1A) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

MOB1B MOB kinase activator 1B [Homo sapiens (human)]

Official Symbol

MOBKL1A

Synonyms

MOB1B; MATS2; MOB4A; MOBKL1A; MOB kinase activator 1B; mob1A; mob1 homolog 1A; MOB1 Mps One Binder homolog B; mps one binder kinase activator-like 1A; MOB1, Mps One Binder kinase activator-like 1A

Gene ID

92597

mRNA Refseq

NM_001244766

Protein Refseq

NP_001231695

MIM

609282

UniProt ID

Q7L9L4

**Chromosome
Location**

4q13.3

Pathway

Hippo signaling pathway; Signal Transduction; Signaling by Hippo

Function

kinase activator activity; kinase binding; metal ion binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA