

Recombinant Human MEF2A 293 Cell Lysate

Cat. No. MEF2A-4376HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for myocyte enhancer factor 2A (MEF2A), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

MEF2A myocyte enhancer factor 2A [Homo sapiens]

Official Symbol

MEF2A

Synonyms

MEF2A; myocyte enhancer factor 2A; myocyte-specific enhancer factor 2A; serum response factor-like protein 1; MADS box transcription enhancer factor 2, polypeptide A (myocyte enhancer factor 2A); mef2; ADCAD1; RSRFC4; RSRFC9;

Gene ID

4205

mRNA Refseq

NM_001130926

Protein Refseq

NP_001124398

Chromosome Location

15q26

Pathway

Activated TLR4 signalling, organism-specific biosystem; Adipogenesis, organism-specific biosystem; CDO in myogenesis, organism-specific biosystem; Developmental Biology, organism-specific biosystem; ERK/MAPK targets, organism-specific biosystem; Energy Metabolism, organism-specific biosystem; Immune System, organism-specific biosystem;

Function

RNA polymerase II regulatory region sequence-specific DNA binding; RNA polymerase II transcription coactivator activity; RNA polymerase II transcription factor

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



binding; SMAD binding; activating transcription factor binding; chromatin binding; histone acetyltransferase binding; histone deacetylase binding; protein binding; contributes_to protein binding; protein heterodimerization activity; protein kinase binding; sequence-specific DNA binding; sequence-specific DNA binding RNA polymerase II transcription factor activity; sequence-specific DNA binding transcription factor activity; sequence-specific distal enhancer binding RNA polymerase II transcription factor activity;

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA