

Recombinant Human MAP3K5 293 Cell Lysate

Cat. No. MAP3K5-4504HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for mitogen-activated protein kinase kinase kinase 5 (MAP3K5) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

MAP3K5 mitogen-activated protein kinase kinase kinase 5 [Homo sapiens]

Official Symbol

MAP3K5

Synonyms

MAP3K5; mitogen-activated protein kinase kinase kinase 5; MEKK5; apoptosis signal regulating kinase 1; ASK1; MAPKKK5; ASK-1; MEKK 5; MEK kinase 5; MAP/ERK kinase kinase 5; MAPK/ERK kinase kinase 5; apoptosis signal-regulating kinase 1;

Gene ID

4217

mRNA Refseq

NM_005923

Protein Refseq

NP_005914

MIM

602448

UniProt ID

Q99683

**Chromosome
Location**

6q22.33

Pathway

Amyotrophic lateral sclerosis (ALS), organism-specific biosystem; Amyotrophic lateral sclerosis (ALS), conserved biosystem; Class I PI3K signaling events mediated by Akt, organism-specific biosystem; HIV-1 Nef: Negative effector of Fas and TNF-alpha, organism-specific biosystem; Insulin Signaling, organism-specific biosystem; MAPK

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

signaling pathway, organism-specific biosystem; MAPK signaling pathway, organism-specific biosystem;

Function

ATP binding; MAP kinase kinase kinase activity; cysteine-type endopeptidase activator activity involved in apoptotic process; magnesium ion binding; nucleotide binding; protein binding; protein homodimerization activity; protein kinase activity; protein kinase binding; protein phosphatase binding; protein serine/threonine kinase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA