

Recombinant Human KIAA1310 293 Cell Lysate

Cat. No. KANSL3-4965HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for KIAA1310 (KIAA1310), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [KANSL3 KAT8 regulatory NSL complex subunit 3 \[Homo sapiens \]](#)

Official Symbol KANSL3

Synonyms NSL3; Rcd1; KIAA1310; KAT8 regulatory NSL complex subunit 3; NSL complex protein NSL3; non-specific lethal 3 homolog; serum inhibited-related protein; testis development protein PRTD

Gene ID [55683](#)

mRNA Refseq [NM_001115016](#)

Protein Refseq [NP_001108488](#)

UniProt ID [Q9P2N6](#)

Chromosome Location 2q11.2

Pathway Chromatin modifying enzymes, organism-specific biosystem; HATs acetylate histones, organism-specific biosystem

Function contributes_to histone acetyltransferase activity (H4-K16 specific); contributes_to histone acetyltransferase activity (H4-K5 specific); contributes_to histone acetyltransferase activity (H4-K8 specific); protein binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA