

Recombinant Human KDM4A 293 Cell Lysate

Cat. No. KDM4A-4996HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species Human

Source HEK293

Description

Antigen standard for lysine (K)-specific demethylase 4A (KDM4A) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.

Components

This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).

Size 0.1 mg

Storage Instruction

Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

KDM4A lysine (K)-specific demethylase 4A [Homo sapiens]

Official Symbol

KDM4A

Synonyms

KDM4A; lysine (K)-specific demethylase 4A; JMJD2, JMJD2A, jumonji domain containing 2 , jumonji domain containing 2A; lysine-specific demethylase 4A; JHDM3A; jumonji C domain containing histone demethylase 3A; KIAA0677; jumonji domain containing 2; jumonji domain containing 2A; jumonji domain-containing protein 2A; jumonji C domain-containing histone demethylase 3A; jmjC domain-containing histone demethylation protein 3A; JMJD2; JMJD2A;

Gene ID

9682

mRNA Refseq

NM_014663

Protein Refseq

NP_055478

MIM

609764

UniProt ID

O75164

Chromosome Location

1p34.1

Function

histone demethylase activity (H3-K36 specific); metal ion binding; oxidoreductase

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

activity; oxidoreductase activity, acting on single donors with incorporation of molecular oxygen, incorporation of two atoms of oxygen; protein binding; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA