

Active Recombinant Human SP1, HA & Flag-tagged

Cat. No. SP1-2093H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human SP1, fused to a HA- and a FLAG-tag, was expressed in insect cells (Schneider SL2 cells).
Species	Human
Source	Insect Cells
Description	The protein encoded by this gene is a zinc finger transcription factor that binds to GC-rich motifs of many promoters. The encoded protein is involved in many cellular processes, including cell differentiation, cell growth, apoptosis, immune responses, response to DNA damage, and chromatin remodeling. Post-translational modifications such as phosphorylation, acetylation, glycosylation, and proteolytic processing significantly affect the activity of this protein, which can be an activator or a repressor. Three transcript variants encoding different isoforms have been found for this gene.
Form	Liquid. In 50mM TRIS-HCl, pH 7.9, containing 420mM KCl, 0.1% NP-40, 12.5mM MgCl ₂ and 20% glycerol.
Bio-activity	0.5BFU/μl (band forming units). 1BFU is sufficient to generate a strong band shift with a labelled oligonucleotide.
Applications	EMSA promoter characterization, analysis of nuclear extracts (oligonucleotides and recombinant protein serve as a positive control).

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Quality Control Test	Sufficient for performing at least 25 protein-DNA interaction experiments in 10mM HEPES, pH 7.9, 0.1mM EDTA, 8.5% glycerol, 170mM KCl, 1μM ZnSO ₄ , 37.5μg/ml Poly dIdC, 10mM DTT and 1mg/ml BSA, analyzed by gel shift assay.
-----------------------------	---

Storage	80oC. Avoid freeze/thaw cycles.
----------------	---------------------------------

GENE INFORMATION

Gene Name	SP1 Sp1 transcription factor [Homo sapiens (human)]
------------------	---

Official Symbol	SP1
------------------------	-----

Synonyms	SP1; Sp1 transcription factor; Sp1 transcription factor; specificity protein 1; TSFP1; Transcription factor Sp1
-----------------	---

Gene ID	6667
----------------	------

mRNA Refseq	NM_003109
--------------------	-----------

Protein Refseq	NP_003100
-----------------------	-----------

MIM	189906
------------	--------

UniProt ID	P08047
-------------------	--------

Chromosome Location	12q13.1
----------------------------	---------

Pathway	Huntington"s disease; TGF-beta signaling pathway
----------------	--

Function	RNA polymerase II transcription factor activity; double-stranded DNA binding; histone
-----------------	---

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



deacetylase binding; metal ion binding; promoter binding; protein C-terminus binding;
protein homodimerization activity; transcription activator activity; transcription factor
activity; zinc ion binding

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA