

# Recombinant Human KCNMB3 293 Cell Lysate

**Cat. No.** KCNMB3-5025HCL    **Lot. No.** (See product label)

## SPECIFICATION

### Product Overview

**Species** Human

**Source** HEK293

### Description

Antigen standard for potassium large conductance calcium-activated channel, subfamily M beta member 3 (KCNMB3), transcript variant 4 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.

### Components

This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).

**Size** 0.1 mg

### Storage Instruction

Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Applications** ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

## GENE INFORMATION

**Gene Name** KCNMB3 potassium large conductance calcium-activated channel, subfamily M beta member 3 [ Homo sapiens ]

**Official Symbol** KCNMB3

**Synonyms** KCNMB3; potassium large conductance calcium-activated channel, subfamily M beta member 3; KCNMB2, KCNMBL; calcium-activated potassium channel subunit beta-3; slo-beta-3; K(VCA)beta-3; BK channel subunit beta-3; maxi K channel subunit beta-3; charybdotoxin receptor subunit beta-3; calcium-activated potassium channel, subfamily M subunit beta-3; large conductance, voltage and Ca<sup>2+</sup> activated potassium channel Maxi K beta 3 subunit; HBETA3; KCNMB2; KCNMBL; BKBETA3; SLOBETA3;

**Gene ID** 27094

**mRNA Refseq** NM\_014407

**Protein Refseq** NP\_055222

**MIM** 605222

**UniProt ID** Q9NPA1

**Chromosome Location** 3q26.3-q27

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Pathway**

Ca<sup>2+</sup> activated K<sup>+</sup> channels, organism-specific biosystem; Hemostasis, organism-specific biosystem; Neuronal System, organism-specific biosystem; Nitric oxide stimulates guanylate cyclase, organism-specific biosystem; Platelet homeostasis, organism-specific biosystem; Potassium Channels, organism-specific biosystem; Vascular smooth muscle contraction, organism-specific biosystem;

**Function**

calcium-activated potassium channel activity; ion channel activity; potassium channel activity; potassium channel regulator activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA