

Recombinant Human KCNK7 293 Cell Lysate

Cat. No. KCNK7-5029HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for potassium channel, subfamily K, member 7 (KCNK7), transcript variant A is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	KCNK7 potassium channel, subfamily K, member 7 [Homo sapiens]
Official Symbol	KCNK7
Synonyms	KCNK7; potassium channel, subfamily K, member 7; potassium channel subfamily K member 7; K2p7.1; two pore domain K ⁺ channel; potassium channel, subfamily K, member 7, isoform B; TWIK3; MGC118782; MGC118784;
Gene ID	10089
mRNA Refseq	NM_033347
Protein Refseq	NP_203133
MIM	603940
UniProt ID	Q9Y2U2
Chromosome Location	11q13
Pathway	Neuronal System, organism-specific biosystem; Potassium Channels, organism-specific biosystem; Tandem of pore domain in a weak inwardly rectifying K ⁺ channels (TWIK), organism-specific biosystem; Tandem pore domain potassium channels, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

potassium channel activity; voltage-gated ion channel activity;

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA