

Recombinant Human KCNK6 293 Cell Lysate

Cat. No. KCNK6-5032HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for potassium channel, subfamily K, member 6 (KCNK6) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

KCNK6 potassium channel, subfamily K, member 6 [Homo sapiens]

Official Symbol

KCNK6

Synonyms

KCNK6; potassium channel, subfamily K, member 6; potassium channel subfamily K member 6; K2p6.1; TWIK 2; K2P6.1 potassium channel; TWIK-originated similarity sequence; TWIK-originated sodium similarity sequence; inward rectifying potassium channel protein TWIK-2; TOSS; KCNK8; TWIK2; TWIK-2; FLJ12282;

Gene ID

9424

mRNA Refseq

NM_004823

Protein Refseq

NP_004814

MIM

603939

UniProt ID

Q9Y257

Chromosome Location

19q13.1

Pathway

Neuronal System, organism-specific biosystem; Potassium Channels, organism-specific biosystem; Tandem of pore domain in a weak inwardly rectifying K⁺ channels (TWIK), organism-specific biosystem; Tandem pore domain potassium channels,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

organism-specific biosystem;

Function

inward rectifier potassium channel activity; potassium channel activity; voltage-gated ion channel activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA