

Recombinant Human KCNH8 293 Cell Lysate

Cat. No. KCNH8-5057HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for potassium voltage-gated channel, subfamily H (eag-related), member 8 (KCNH8) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

KCNH8 potassium voltage-gated channel, subfamily H (eag-related), member 8 [[Homo sapiens](#)]

Official Symbol

KCNH8

Synonyms

KCNH8; potassium voltage-gated channel, subfamily H (eag-related), member 8; potassium voltage-gated channel subfamily H member 8; elk3; Kv12.1; hElk1; ELK channel 3; ether-a-go-go-like potassium channel 1; ether-a-go-go-like potassium channel 3; voltage-gated potassium channel subunit Kv12.1; ELK; ELK1;

Gene ID

[131096](#)

mRNA Refseq

[NM_144633](#)

Protein Refseq

[NP_653234](#)

MIM

[608260](#)

UniProt ID

[Q96L42](#)

**Chromosome
Location**

3p24.3

Pathway

Neuronal System, organism-specific biosystem; Potassium Channels, organism-specific biosystem; Voltage gated Potassium channels, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

sequence-specific distal enhancer binding RNA polymerase II transcription factor activity; two-component sensor activity; voltage-gated ion channel activity; voltage-gated potassium channel activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA