

Recombinant Human ITGB2 293 Cell Lysate

Cat. No. ITGB2-5125HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for integrin, beta 2 (complement component 3 receptor 3 and 4 subunit) (ITGB2), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name ITGB2 integrin, beta 2 (complement component 3 receptor 3 and 4 subunit) [Homo sapiens]

Official Symbol ITGB2

Synonyms ITGB2; integrin, beta 2 (complement component 3 receptor 3 and 4 subunit); CD18, integrin, beta 2 (antigen CD18 (p95), lymphocyte function associated antigen 1; macrophage antigen 1 (mac 1) beta subunit) , MFI7; integrin beta-2; LFA 1; MAC 1; integrin beta chain, beta 2; complement receptor C3 beta-subunit; complement receptor C3 subunit beta; leukocyte cell adhesion molecule CD18; leukocyte-associated antigens CD18/11A, CD18/11B, CD18/11C; cell surface adhesion glycoproteins LFA-1/CR3/p150,95 subunit beta; cell surface adhesion glycoprotein LFA-1/CR3/P150,959 beta subunit precursor); LAD; CD18; MF17; MFI7; LCAMB; LFA-1; MAC-1;

Gene ID 3689

mRNA Refseq NM_000211

Protein Refseq NP_000202

MIM 600065

UniProt ID P05107

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Chromosome Location	21q22.3
Pathway	Adaptive Immune System, organism-specific biosystem; Amoebiasis, organism-specific biosystem; Amoebiasis, conserved biosystem; CXCR3-mediated signaling events, organism-specific biosystem; Cell adhesion molecules (CAMs), organism-specific biosystem; Cell adhesion molecules (CAMs), conserved biosystem; Cell surface interactions at the vascular wall, organism-specific biosystem;
Function	binding; glycoprotein binding; protein kinase binding; receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA