

Recombinant Human IRAK2 293 Cell Lysate

Cat. No. IRAK2-5171HCL Lot. No. (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for interleukin-1 receptor-associated kinase 2 (IRAK2) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

IRAK2 interleukin-1 receptor-associated kinase 2 [Homo sapiens]

Official Symbol

IRAK2

Synonyms

IRAK2; interleukin-1 receptor-associated kinase 2; interleukin-1 receptor-associated kinase-like 2; interleukin-1 receptor associated kinase-2; IRAK-2; MGC150550;

Gene ID

3656

mRNA Refseq

NM_001570

Protein Refseq

NP_001561

MIM

603304

UniProt ID

O43187

Chromosome Location

3p25.2

Pathway

Activated TLR4 signalling, organism-specific biosystem; Apoptosis, organism-specific biosystem; Apoptosis, conserved biosystem; Cytokine Signaling in Immune system, organism-specific biosystem; IL-1 Signaling Pathway, organism-specific biosystem; IRAK2 mediated activation of TAK1 complex, organism-specific biosystem; IRAK2 mediated activation of TAK1 complex upon TLR7/8 or 9 stimulation, organism-specific

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

biosystem;

Function

ATP binding; nucleotide binding; protein binding; protein heterodimerization activity; protein homodimerization activity; protein kinase activity; transferase activity, transferring phosphorus-containing groups;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA