

Recombinant Human ILF3 293 Cell Lysate

Cat. No. ILF3-5221HCL Lot. No. (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for interleukin enhancer binding factor 3, 90kDa (ILF3), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

ILF3 interleukin enhancer binding factor 3, 90kDa [Homo sapiens]

Official Symbol

ILF3

Synonyms

ILF3; interleukin enhancer binding factor 3, 90kDa; interleukin enhancer binding factor 3, 90kD; interleukin enhancer-binding factor 3; DRBP76; M phase phosphoprotein 4; MPHOSPH4; MPP4; NF90; NFAR 1; M-phase phosphoprotein 4; translational control protein 80; dsRNA binding protein NFAR-2/MPP4; nuclear factor associated with dsRNA; double-stranded RNA-binding protein, 76 kD; nuclear factor of activated T-cells 90 kDa; nuclear factor of activated T-cells, 90 kD; CBTF; DRBF; MMP4; NFAR; NF110; NF90a; NF90b; NFAR2; TCP80; NF110b; NFAR-1; TCP110; NF-AT-90;

Gene ID

3609

mRNA Refseq

NM_001137673

Protein Refseq

NP_001131145

MIM

603182

UniProt ID

Q12906

**Chromosome
Location**

19p13.2

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

DNA binding; RNA binding; double-stranded RNA binding; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA