

Recombinant Human IARS 293 Cell Lysate

Cat. No. IARS-5318HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for isoleucyl-tRNA synthetase (IARS), transcript variant short is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

IARS isoleucyl-tRNA synthetase [Homo sapiens]

Official Symbol

IARS

Synonyms

IARS; isoleucyl-tRNA synthetase; isoleucine--tRNA ligase, cytoplasmic; IARS1; ILRS; isoleucine tRNA ligase 1; cytoplasmic; isoleucine tRNA ligase 1, cytoplasmic; isoleucyl-tRNA synthetase, cytoplasmic; IRS; ILERS; PRO0785; FLJ20736;

Gene ID

3376

mRNA Refseq

NM_002161

Protein Refseq

NP_002152

MIM

600709

UniProt ID

P41252

**Chromosome
Location**

9q21

Pathway

Aminoacyl-tRNA biosynthesis, organism-specific biosystem; Aminoacyl-tRNA biosynthesis, conserved biosystem; Aminoacyl-tRNA biosynthesis, eukaryotes, organism-specific biosystem; Aminoacyl-tRNA biosynthesis, eukaryotes, conserved biosystem; Cytosolic tRNA aminoacylation, organism-specific biosystem; Gene

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Expression, organism-specific biosystem; tRNA Aminoacylation, organism-specific biosystem;

Function

ATP binding; aminoacyl-tRNA ligase activity; isoleucine-tRNA ligase activity; isoleucine-tRNA ligase activity; ligase activity; nucleotide binding; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA