

# Recombinant Human HINFP 293 Cell Lysate

**Cat. No.** HINFP-5559HCL    **Lot. No.** (See product label)

## SPECIFICATION

### Product Overview

**Species** Human

**Source** HEK293

### Description

Antigen standard for histone H4 transcription factor (HINFP), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.

### Components

This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).

**Size** 0.1 mg

### Storage Instruction

Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Applications** ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

## GENE INFORMATION

**Gene Name** [HINFP histone H4 transcription factor \[ Homo sapiens \]](#)

**Official Symbol** HINFP

**Synonyms** HINFP; histone H4 transcription factor; MBD2 interacting zinc finger , MBD2 interacting zinc finger 1 , MIZF; DKFZP434F162; HiNF P; histone nuclear factor P; ZNF743; MBD2-interacting zinc finger 1; MBD2-interacting zinc finger protein; histone H4 gene-specific protein HiNF-P; methyl-CpG-binding protein 2-interacting zinc finger protein; MBD2 (methyl-CpG-binding protein)-interacting zinc finger protein; MIZF; HiNF-P; DKFZp434F162;

**Gene ID** [25988](#)

**mRNA Refseq** [NM\\_001243259](#)

**Protein Refseq** [NP\\_001230188](#)

**MIM** [607099](#)

**UniProt ID** [Q9BQA5](#)

**Chromosome Location** 11q23.3

**Function** DNA binding; chromatin binding; enzyme binding; histone binding; metal ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

protein binding; sequence-specific DNA binding transcription factor activity;  
transcription coactivator activity; transcription regulatory region DNA binding; zinc ion  
binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA