

Recombinant Human HHEX 293 Cell Lysate

Cat. No. HHEX-5570HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for hematopoietically expressed homeobox (HHEX) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

HHEX hematopoietically expressed homeobox [Homo sapiens]

Official Symbol

HHEX

Synonyms

HHEX; hematopoietically expressed homeobox; PRHX; hematopoietically-expressed homeobox protein HHEX; HEX; HOX11L PEN; homeobox protein HEX; homeobox protein PRH; homeobox, hematopoietically expressed; proline-rich homeodomain-containing transcription factor; PRH; HMPH; HOX11L-PEN;

Gene ID

3087

mRNA Refseq

NM_002729

Protein Refseq

NP_002720

MIM

604420

UniProt ID

Q03014

Chromosome Location

10q23.33

Pathway

Maturity onset diabetes of the young, organism-specific biosystem; Maturity onset diabetes of the young, conserved biosystem; Transcriptional misregulation in cancer, organism-specific biosystem; Transcriptional misregulation in cancer, conserved

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

biosystem;

Function

DNA binding, bending; HMG box domain binding; TBP-class protein binding; chromatin binding; eukaryotic initiation factor 4E binding; protein binding; protein homodimerization activity; repressing transcription factor binding; sequence-specific DNA binding; sequence-specific DNA binding transcription factor activity; transcription factor binding; transcription regulatory region DNA binding; transcription regulatory region DNA binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA