

Recombinant Human HAAO 293 Cell Lysate

Cat. No. HAAO-5650HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for 3-hydroxyanthranilate 3,4-dioxygenase (HAAO) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

HAAO 3-hydroxyanthranilate 3,4-dioxygenase [Homo sapiens]

Official Symbol

HAAO

Synonyms

HAAO; 3-hydroxyanthranilate 3,4-dioxygenase; HAD; 3-hydroxyanthranilate oxygenase; 3-hydroxyanthranilic acid dioxygenase; HAO; 3-HAO;

Gene ID

23498

mRNA Refseq

NM_012205

Protein Refseq

NP_036337

MIM

604521

UniProt ID

P46952

**Chromosome
Location**

2p

Pathway

Metabolic pathways, organism-specific biosystem; Metabolism, organism-specific biosystem; Metabolism of amino acids and derivatives, organism-specific biosystem; NAD biosynthesis II (from tryptophan), organism-specific biosystem; NAD biosynthesis II (from tryptophan), conserved biosystem; Tryptophan catabolism, organism-specific biosystem; Tryptophan metabolism, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

3-hydroxyanthranilate 3,4-dioxygenase activity; 3-hydroxyanthranilate 3,4-dioxygenase activity; electron carrier activity; ferrous iron binding; metal ion binding; oxidoreductase activity; oxygen binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA