

Recombinant Human H2AFY 293 Cell Lysate

Cat. No. H2AFY-5658HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for H2A histone family, member Y (H2AFY), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

H2AFY H2A histone family, member Y [Homo sapiens]

Official Symbol

H2AFY

Synonyms

H2AFY; H2A histone family, member Y; core histone macro-H2A.1; macroH2A1.2; histone H2A.y; histone macroH2A1; histone macroH2A1.1; histone macroH2A1.2; medulloblastoma antigen MU-MB-50.205; H2A.y; H2A/y; H2AFJ; mH2A1; H2AF12M; MACROH2A1.1;

Gene ID

9555

mRNA Refseq

NM_138609

Protein Refseq

NP_613075

MIM

610054

UniProt ID

O75367

Chromosome Location

5q31.1

Pathway

ATF-2 transcription factor network, organism-specific biosystem; Systemic lupus erythematosus, organism-specific biosystem; Systemic lupus erythematosus, conserved biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function	DNA binding; chromatin binding;
-----------------	---------------------------------