

Recombinant Human GTF2E1 293 Cell Lysate

Cat. No. GTF2E1-5702HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for general transcription factor IIE, polypeptide 1, alpha 56kDa (GTF2E1) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [GTF2E1 general transcription factor IIE, polypeptide 1, alpha 56kDa \[Homo sapiens \]](#)

Official Symbol GTF2E1

Synonyms

GTF2E1; general transcription factor IIE, polypeptide 1, alpha 56kDa; general transcription factor IIE, polypeptide 1 (alpha subunit, 56kD); general transcription factor IIE subunit 1; FE; TFIIE A; TFIIE-alpha; general transcription factor IIE 56 kDa subunit; transcription initiation factor IIE subunit alpha; TF2E1; TFIIE-A;

Gene ID [2960](#)

mRNA Refseq [NM_005513](#)

Protein Refseq [NP_005504](#)

MIM [189962](#)

UniProt ID [P29083](#)

Chromosome Location 3q21-q24

Pathway

Basal transcription factors, organism-specific biosystem; Basal transcription factors, conserved biosystem; Disease, organism-specific biosystem; Eukaryotic Transcription Initiation, organism-specific biosystem; Gene Expression, organism-specific

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

biosystem; HIV Infection, organism-specific biosystem; HIV Life Cycle, organism-specific biosystem;

Function

metal ion binding; protein binding; sequence-specific DNA binding; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA