

Recombinant Human GSTP1 293 Cell Lysate

Cat. No. GSTP1-5709HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for glutathione S-transferase pi 1 (GSTP1) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [GSTP1 glutathione S-transferase pi 1 \[Homo sapiens \]](#)

Official Symbol GSTP1

Synonyms GSTP1; glutathione S-transferase pi 1; FAEES3, GST3; glutathione S-transferase P; GSTP; GSTP1-1; GST class-pi; deafness, X-linked 7; fatty acid ethyl ester synthase III; PI; DFN7; GST3; FAEES3;

Gene ID [2950](#)

mRNA Refseq [NM_000852](#)

Protein Refseq [NP_000843](#)

MIM [134660](#)

UniProt ID [P09211](#)

Chromosome Location 11q13.2

Pathway

Arachidonate Epoxygenase / Epoxide Hydrolase, organism-specific biosystem; Biological oxidations, organism-specific biosystem; Diurnally regulated genes with circadian orthologs, organism-specific biosystem; Drug metabolism - cytochrome P450, organism-specific biosystem; Drug metabolism - cytochrome P450, conserved

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

biosystem; Glutathione conjugation, organism-specific biosystem; Glutathione metabolism, organism-specific biosystem;

Function

JUN kinase binding; S-nitrosoglutathione binding; dinitrosyl-iron complex binding; drug binding; glutathione binding; glutathione transferase activity; glutathione transferase activity; kinase regulator activity; nitric oxide binding; protein binding; transferase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA