

Recombinant Human GSTO2 293 Cell Lysate

Cat. No. GSTO2-5710HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for glutathione S-transferase omega 2 (GSTO2) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

[GSTO2 glutathione S-transferase omega 2 \[Homo sapiens \]](#)

Official Symbol

GSTO2

Synonyms

GSTO2; glutathione S-transferase omega 2; glutathione S-transferase omega-2; GSTO-2; MMA(V) reductase; monomethylarsonic acid reductase; glutathione S-transferase omega 2-2; glutathione-S-transferase-like protein; bA127L20.1 (novel glutathione-S-transferase); glutathione-dependent dehydroascorbate reductase; GSTO 2-2; bA127L20.1;

Gene ID

[119391](#)

mRNA Refseq

[NM_001191013](#)

Protein Refseq

[NP_001177942](#)

MIM

[612314](#)

UniProt ID

[Q9H4Y5](#)

**Chromosome
Location**

10q25.1

Pathway

Biological oxidations, organism-specific biosystem; Drug metabolism - cytochrome P450, organism-specific biosystem; Drug metabolism - cytochrome P450, conserved

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



biosystem; Glutathione conjugation, organism-specific biosystem; Glutathione metabolism, organism-specific biosystem; Glutathione metabolism, conserved biosystem; Metabolism, organism-specific biosystem;

Function

glutathione dehydrogenase (ascorbate) activity; glutathione transferase activity; glutathione transferase activity; methylarsonate reductase activity; oxidoreductase activity; transferase activity;

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA