

# Recombinant Human GRM3 293 Cell Lysate

**Cat. No.** GRM3-5735HCL    **Lot. No.** (See product label)

## SPECIFICATION

### Product Overview

**Species** Human

**Source** HEK293

**Description** Antigen standard for glutamate receptor, metabotropic 3 (GRM3) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.

**Components** This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).

**Size** 0.1 mg

**Storage Instruction** Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Applications**

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

**GENE INFORMATION**
**Gene Name**

GRM3 glutamate receptor, metabotropic 3 [ Homo sapiens ]

**Official Symbol**

GRM3

**Synonyms**

GRM3; glutamate receptor, metabotropic 3; metabotropic glutamate receptor 3; GPRC1C; mGlu3; MGLUR3; glutamate metabotropic receptor 3; GLUR3;

**Gene ID**

2913

**mRNA Refseq**

NM\_000840

**Protein Refseq**

NP\_000831

**MIM**

601115

**UniProt ID**

Q14832

**Chromosome  
Location**

7q21.1-q21.2

**Pathway**

Class C/3 (Metabotropic glutamate/pheromone receptors), organism-specific biosystem; Cocaine addiction, organism-specific biosystem; Cocaine addiction, conserved biosystem; GPCR ligand binding, organism-specific biosystem; GPCRs, Class C Metabotropic glutamate, pheromone, organism-specific biosystem; Glutamatergic synapse, organism-specific biosystem; Glutamatergic synapse,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

conserved biosystem;

**Function**

G-protein coupled receptor activity; G-protein coupled receptor activity; calcium channel regulator activity; glutamate receptor activity; group II metabotropic glutamate receptor activity; receptor activity; signal transducer activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA