

Recombinant Human GOT1 293 Cell Lysate

Cat. No. GOT1-5824HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for glutamic-oxaloacetic transaminase 1, soluble (aspartate aminotransferase 1) (GOT1) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name GOT1 glutamic-oxaloacetic transaminase 1, soluble (aspartate aminotransferase 1) [Homo sapiens]

Official Symbol GOT1

Synonyms GOT1; glutamic-oxaloacetic transaminase 1, soluble (aspartate aminotransferase 1); aspartate aminotransferase, cytoplasmic; transaminase A; growth-inhibiting protein 18; glutamate oxaloacetate transaminase 1; GIG18; ASTQTL1;

Gene ID 2805

mRNA Refseq NM_002079

Protein Refseq NP_002070

MIM 138180

UniProt ID P17174

Chromosome Location 10q24.1-q25.1

Pathway Alanine and aspartate metabolism, organism-specific biosystem; Alanine, aspartate and glutamate metabolism, organism-specific biosystem; Alanine, aspartate and glutamate metabolism, conserved biosystem; Amino acid synthesis and

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

interconversion (transamination), organism-specific biosystem; Arginine and proline metabolism, organism-specific biosystem; Arginine and proline metabolism, conserved biosystem; Cysteine and methionine metabolism, organism-specific biosystem;

Function

L-aspartate:2-oxoglutarate aminotransferase activity; L-aspartate:2-oxoglutarate aminotransferase activity; L-aspartate:2-oxoglutarate aminotransferase activity; L-phenylalanine:2-oxoglutarate aminotransferase activity; carboxylic acid binding; phosphatidylserine decarboxylase activity; pyridoxal phosphate binding; transaminase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA