

Recombinant Human GOPC 293 Cell Lysate

Cat. No. GOPC-5831HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species Human

Source HEK293

Description Antigen standard for golgi-associated PDZ and coiled-coil motif containing (GOPC), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.

Components This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).

Size 0.1 mg

Storage Instruction Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

GOPC golgi-associated PDZ and coiled-coil motif containing [Homo sapiens]

Official Symbol

GOPC

Synonyms

GOPC; golgi-associated PDZ and coiled-coil motif containing; Golgi-associated PDZ and coiled-coil motif-containing protein; CAL; dJ94G16.2; FIG; GOPC1; PIST; dJ94G16.2 PIST; fused in glioblastoma; CFTR-associated ligand; PDZ protein interacting specifically with TC10; Golgi associated PDZ and coiled-coil motif containing protein; PDZ/coiled-coil domain binding partner for the rho-family GTPase TC10;

Gene ID

57120

mRNA Refseq

NM_001017408

Protein Refseq

NP_001017408

MIM

606845

UniProt ID

Q9HD26

Chromosome Location

6q21

Function

cystic fibrosis transmembrane conductance regulator binding; frizzled binding; protein

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

C-terminus binding; protein binding; protein homodimerization activity; small GTPase regulator activity;

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA