

Recombinant Human GNPDA2 293 Cell Lysate

Cat. No. GNPDA2-5842HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for glucosamine-6-phosphate deaminase 2 (GNPDA2) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

GNPDA2 glucosamine-6-phosphate deaminase 2 [Homo sapiens]

Official Symbol

GNPDA2

Synonyms

GNPDA2; glucosamine-6-phosphate deaminase 2; glucosamine-6-phosphate isomerase 2; glucosamine 6 phosphate isomerase; SB52; GNPDA 2; 4921523I18Rik; glcN6P deaminase 2; glucosamine-6-phosphate isomerase SB52; putative glucosamine-6-phosphate isomerase; GNP2;

Gene ID

132789

mRNA Refseq

NM_138335

Protein Refseq

NP_612208

MIM

613222

UniProt ID

Q8TDQ7

Chromosome Location

4p13

Pathway

Amino sugar and nucleotide sugar metabolism, organism-specific biosystem; Amino sugar and nucleotide sugar metabolism, conserved biosystem; Metabolic pathways, organism-specific biosystem; N-acetylglucosamine degradation I, organism-specific

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

biosystem; N-acetylglucosamine degradation II, organism-specific biosystem; UDP-N-acetyl-D-galactosamine biosynthesis II, organism-specific biosystem;

Function

glucosamine-6-phosphate deaminase activity; hydrolase activity; isomerase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA