

Recombinant Human GNE 293 Cell Lysate

Cat. No. GNE-5858HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for glucosamine (UDP-N-acetyl)-2-epimerase/N-acetylmannosamin e kinase (GNE), transcript variant 2 is a lysate prepared from HEK293T cells transient ly transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA B uffer. Protein concentration was determined using a colorimetric assay. The antigen c ontrol carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

[GNE glucosamine \(UDP-N-acetyl\)-2-epimerase/N-acetylmannosamine kinase \[Homo sapiens \]](#)

Official Symbol

GNE

Synonyms

GNE; glucosamine (UDP-N-acetyl)-2-epimerase/N-acetylmannosamine kinase; IBM2, UDP N acetylglucosamine 2 epimerase/N acetylmannosamine kinase; bifunctional UDP-N-acetylglucosamine 2-epimerase/N-acetylmannosamine kinase; Uae1; N-acylmannosamine kinase; UDP-GlcNAc-2-epimerase/ManAc kinase; UDP-N-acetylglucosamine 2-epimerase/N-acetylmannosamine kinase; UDP-N-acetylglucosamine-2-epimerase/N-acetylmannosamine kinase; NM; DMRV; IBM2; GLCNE;

Gene ID

[10020](#)

mRNA Refseq

[NM_001128227](#)

Protein Refseq

[NP_001121699](#)

MIM

[603824](#)

UniProt ID

[Q9Y223](#)

**Chromosome
Location**

9p13.1

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway	Amino sugar and nucleotide sugar metabolism, organism-specific biosystem; Amino sugar and nucleotide sugar metabolism, conserved biosystem; CMP-N-acetylneuraminate biosynthesis I (eukaryotes), organism-specific biosystem; Metabolic pathways, organism-specific biosystem;
Function	ATP binding; N-acylmannosamine kinase activity; UDP-N-acetylglucosamine 2-epimerase activity; isomerase activity; kinase activity; nucleotide binding; transferase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA