

Recombinant Human GIPC1 293 Cell Lysate

Cat. No. GIPC1-5928HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for GIPC PDZ domain containing family, member 1 (GIPC1), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

GIPC1 GIPC PDZ domain containing family, member 1 [Homo sapiens]

Official Symbol

GIPC1

Synonyms

GIPC1; GIPC PDZ domain containing family, member 1; C19orf3, chromosome 19 open reading frame 3 , regulator of G protein signalling 19 interacting protein 1 , RGS19IP1; PDZ domain-containing protein GIPC1; GIPC; GLUT1CBP; Hs.6454; NIP; SEMCAP; SYNECTIN; TIP 2; tax interaction protein 2; RGS19-interacting protein 1; RGS-GAIP-interacting protein; GLUT1 C-terminal binding protein; GAIP C-terminus-interacting protein; IGF-1 receptor interacting protein 1; regulator of G-protein signalling 19 interacting protein 1; IIP-1; TIP-2; C19orf3; RGS19IP1; SYNECTIN; MGC3774; MGC15889;

Gene ID

10755

mRNA Refseq

NM_005716

Protein Refseq

NP_005707

MIM

605072

UniProt ID

O14908

**Chromosome
Location**

19p13.1

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway	Neurotrophic factor-mediated Trk receptor signaling, organism-specific biosystem; Syndecan-4-mediated signaling events, organism-specific biosystem; TGF-beta Receptor Signaling Pathway, organism-specific biosystem;
Function	PDZ domain binding; actin binding; myosin binding; protein binding; protein homodimerization activity; receptor binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA