

Recombinant Human GCLM 293 Cell Lysate

Cat. No. GCLM-5982HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species Human

Source HEK293

Description

Antigen standard for glutamate-cysteine ligase, modifier subunit (GCLM) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.

Components

This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).

Size 0.1 mg

Storage Instruction

Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

GCLM glutamate-cysteine ligase, modifier subunit [Homo sapiens]

Official Symbol

GCLM

Synonyms

GCLM; glutamate-cysteine ligase, modifier subunit; GLCLR; glutamate--cysteine ligase regulatory subunit; gamma glutamylcysteine synthetase; GCS light chain; GSC light chain; gamma-ECS regulatory subunit; glutamate--cysteine ligase modifier subunit; glutamate-cysteine ligase regulatory protein; gamma-glutamylcysteine synthetase regulatory subunit; glutamate-cysteine ligase (gamma-glutamylcysteine synthetase), regulatory (30.8kD);

Gene ID

2730

mRNA Refseq

NM_002061

Protein Refseq

NP_002052

MIM

601176

UniProt ID

P48507

Chromosome Location

1p21

Pathway

Biological oxidations, organism-specific biosystem; Glutathione biosynthesis,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

glutamate => glutathione, organism-specific biosystem; Glutathione biosynthesis, glutamate => glutathione, conserved biosystem; Glutathione conjugation, organism-specific biosystem; Glutathione metabolism, organism-specific biosystem;

Function

contributes_to glutamate-cysteine ligase activity; contributes_to glutamate-cysteine ligase activity; glutamate-cysteine ligase catalytic subunit binding; protein heterodimerization activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA