

Recombinant Human GATAD2B 293 Cell Lysate

Cat. No. GATAD2B-6007HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species Human

Source HEK293

Description

Antigen standard for GATA zinc finger domain containing 2B (GATAD2B) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.

Components

This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).

Size 0.1 mg

Storage Instruction

Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

GATAD2B GATA zinc finger domain containing 2B [Homo sapiens]

Official Symbol

GATAD2B

Synonyms

GATAD2B; GATA zinc finger domain containing 2B; transcriptional repressor p66-beta; P66beta; transcription repressor p66 beta component of the MeCP1 complex; p66/p68; GATA zinc finger domain-containing protein 2B; FLJ37346; KIAA1150; RP11-216N14.6; MGC138257; MGC138285;

Gene ID

57459

mRNA Refseq

NM_020699

Protein Refseq

NP_065750

UniProt ID

Q8WXI9

Chromosome Location

1q21.3

Pathway

Signaling events mediated by HDAC Class I, organism-specific biosystem;

Function

metal ion binding; sequence-specific DNA binding; sequence-specific DNA binding transcription factor activity; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA