

Recombinant Human GAPDH 293 Cell Lysate

Cat. No. GAPDH-6024HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for glyceraldehyde-3-phosphate dehydrogenase (GAPDH) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	GAPDH glyceraldehyde-3-phosphate dehydrogenase [Homo sapiens]
Official Symbol	GAPDH
Synonyms	GAPDH; glyceraldehyde-3-phosphate dehydrogenase; GAPD; aging-associated gene 9 protein; peptidyl-cysteine S-nitrosylase GAPDH; G3PD; MGC88685;
Gene ID	2597
mRNA Refseq	NM_001256799
Protein Refseq	NP_001243728
MIM	138400
UniProt ID	P04406
Chromosome Location	12p13.31
Pathway	Alzheimers disease, organism-specific biosystem; Alzheimers disease, conserved biosystem; Androgen Receptor Signaling Pathway, organism-specific biosystem; Gluconeogenesis, organism-specific biosystem; Gluconeogenesis, oxaloacetate =>fructose-6P, organism-specific biosystem; Gluconeogenesis, oxaloacetate =>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

NAD binding; NADP binding; glyceraldehyde-3-phosphate dehydrogenase (NAD+) (phosphorylating) activity; glyceraldehyde-3-phosphate dehydrogenase (NAD+) (phosphorylating) activity; oxidoreductase activity; peptidyl-cysteine S-nitrosylase activity; protein binding; transferase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA